



Kulikage Parts

Charge-Air / Intercooler Seal Kits for diesel engines — Wholesale Pilot Catalog

Silicone seal kits for Renault / Nissan / Dacia diesel engines — designed to restore sealing at common boost leak points and reduce oil mist around charge-air joints.

What it solves

- Boost leaks at intercooler / charge-air pipe connections
- Oil mist around joints and loose/worn seals
- Underboost symptoms and related fault codes caused by leakage

Available Kits

- **K2285850S** — K9K 858 Seal Kit (Qty: 5 seals)
- **K2288440S** — K9K 884 Seal Kit (Qty: 4 seals)
- **K2283660S** — K9K 836 Seal Kit (Qty: 6 seals)
- **K2564640S** — K9K 646 Seal Kit (Qty: 4 seals)
- **K22M9R40S** — M9R Seal Kit (Qty: 4 seals)

Material & Identification

- Material: **Silicone**
- Each kit includes: labeled seals + installation diagram + kit passport (SKU / Lot / Revision)
- Lot format example: **26-01** (Year-Month batch)

Wholesale Pilot Program (Terms)

Pilot order (recommended)

- **MOQ:** 10 kits per shipment (mix SKUs allowed)
- **Typical pilot mix:** 6× K9K 646 + 4× K9K 858 (or per your workshop demand)

Lead time & shipping

- Assembly/packing: **3–5 business days** after confirmation
- Shipping to EU: **~5–7 business days** (typical)
- Shipping method: USPS / UPS/etc. (depending on destination and package size)

Pricing

- Wholesale pricing depends on volume: **10 / 30 / 100+** kit tiers
- Price list available upon request (PDF / Excel)

Quality / returns (pilot)

- If a kit is defective or incomplete: **replacement or refund** (pilot orders)
- Fitment depends on model year and connector design — **verify using the included diagram before installation**

Import / VAT notice (EU)

- Buyer is responsible for any **import VAT / duties** if applicable in their country.

How to start


- Reply with your preferred SKUs and quantities for a pilot shipment, and your delivery address.
- We will send a pilot invoice and confirm lead time.

KIT: K9K 858

INSTALLATION DIAGRAM — K2285850S

K9K 858 Seal Kit | Qty: 5 seals | Material: Silicone | Lot: 26-01

- 1 – K2285801S
- 2 – K2285802S
- 3 – K2285803S
- 4 – K2285804S
- 5 – K2285805S



How to use:

1. Match each seal to the diagram: **Item 01 → Item 05**.
2. Clean the groove and connector surfaces before installing.
3. Lightly lubricate the seal with clean engine oil before assembly (recommended).
4. Ensure the connector locks fully into position.



Kulikage Parts — Seal Kit Passport

Kit SKU: **K2285850S**

Engine family: 1.5 dCi (K9K) — 858 configurations

Contents: 5 seals

Material: *Silicone*

Lot: 26-01

Revision: 1.2

Packed/Checked: _____ Date: 27/01/2026

Use case:

Charge-air / intercooler pipe joints — helps restore sealing at common boost leak points (oil mist around joints, underboost symptoms, loose/worn seals).

Fitment note:

Do not select by engine code alone. Fitment depends on model year and connector design. Verify by diagram before installation. If unsure — verify by diagram and connector shape before installation.

KIT: K9K 884

INSTALLATION DIAGRAM — K2288440S


K9K 884 Seal Kit | Qty: 4 seals | Material: Silicone | Lot: 26-01

1 – K2285801S

2 – K2285803S

3 – K2285802S

4 – K2285805S



How to use:

1. Match each seal to the diagram: **Item 01 → Item 04**.
2. Clean the groove and connector surfaces before installing.
3. Lightly lubricate the seal with clean engine oil before assembly (recommended).
4. Ensure the connector locks fully into position.



Kulikage Parts — Seal Kit Passport

Kit SKU: **K2288440S**

Engine family: 1.5 dCi (K9K) — 884 configurations

Contents: 4 seals

Material: *Silicone*

Lot: 26-01

Revision: 1.2

Packed/Checked: _____ Date: 27/01/2026

Use case:

Charge-air / intercooler pipe joints — helps restore sealing at common boost leak points (oil mist around joints, underboost symptoms, loose/worn seals).


Fitment note:

Do not select by engine code alone. Fitment depends on model year and connector design. Verify by diagram before installation. If unsure — verify by diagram and connector shape before installation.

KIT: K9K 836

INSTALLATION DIAGRAM — K2283660S

K9K 836 Seal Kit | Qty: 6 seals | Material: Silicone | Lot: 26-01
1 – K2285801S 4 – K2283604S
2 – K2285804S 5 – K22M9R04S
3 – K2285803S 6 – K2285805S



How to use:

1. Match each seal to the diagram: **Item 01 → Item 06**.
2. Clean the groove and connector surfaces before installing.
3. Lightly lubricate the seal with clean engine oil before assembly (recommended).
4. Ensure the connector locks fully into position.



Kulikage Parts — Seal Kit Passport

Kit SKU: **K2283660S**

Engine family: 1.5 dCi (K9K) — 836 configurations

Contents: 6 seals

Material: *Silicone*

Lot: 26-01

Revision: 1.2

Packed/Checked: _____ Date: 27/01/2026

Use case:

Charge-air / intercooler pipe joints — helps restore sealing at common boost leak points (oil mist around joints, underboost symptoms, loose/worn seals).

Fitment note:


Do not select by engine code alone. Fitment depends on model year and connector design. Verify by diagram before installation. If unsure — verify by diagram and connector shape before installation.

KIT: K9K 646

INSTALLATION DIAGRAM — K2564640S

K9K 646 Seal Kit | Qty: 4 seals | Material: Silicone | Lot: 26-01

- 1 – K2564601S
- 2 – K2285803S
- 3 – K2285804S
- 4 – K2285805S



How to use:

1. Match each seal to the diagram: **Item 01 → Item 04**.
2. Clean the groove and connector surfaces before installing.
3. Lightly lubricate the seal with clean engine oil before assembly (recommended).
4. Ensure the connector locks fully into position.



Kulikage Parts — Seal Kit Passport

Kit SKU: **K2564640S**

Engine family: 1.5 dCi (K9K) — 646 configurations

Contents: 4 seals

Material: *Silicone*

Lot: 26-01

Revision: 1.2

Packed/Checked: _____ Date: 27/01/2026

Use case:

Charge-air / intercooler pipe joints — helps restore sealing at common boost leak points (oil mist around joints, underboost symptoms, loose/worn seals).

Fitment note:

Do not select by engine code alone. Fitment depends on model year and connector design. Verify by diagram before installation. If unsure — verify by diagram and connector shape before installation.

KIT: M9R

INSTALLATION DIAGRAM — K22M9R40S


M9R Seal Kit | Qty: 4 seals | Material: Silicone | Lot: 26-01

1 – K22M9R01S

2 – K2285803S

3 – K22M9R04S

4 – K22M9R04S



How to use:

1. Match each seal to the diagram: **Item 01 → Item 04**.
2. Clean the groove and connector surfaces before installing.
3. Lightly lubricate the seal with clean engine oil before assembly (recommended).
4. Ensure the connector locks fully into position.



Kulikage Parts — Seal Kit Passport

Kit SKU: **K22M9R40S**

Engine family: 2.0 dCi (M9R) configurations

Contents: 4 seals

Material: *Silicone*

Lot: 26-01

Revision: 1.2

Packed/Checked: _____ Date: 27/01/2026

Use case:

Charge-air / intercooler pipe joints — helps restore sealing at common boost leak points (oil mist around joints, underboost symptoms, loose/worn seals).

Fitment note:

Do not select by engine code alone. Fitment depends on model year and connector design. Verify by diagram before installation. If unsure — verify by diagram and connector shape before installation.

Turbo/Throttle Circlip (K9K 858)

Reference photo (clip shape may vary by supplier/model year)



Contacts

Nikolai Kulikov

WhatsApp (US): +1 424 244 5386 (for quick questions / photos)

Email: sales@kulikage.parts